

A scenic landscape featuring a winding river, rolling green hills, and several wind turbines. In the foreground, a portion of a solar panel array is visible on the left. The sky is filled with soft, golden clouds, suggesting a sunrise or sunset. The overall scene conveys a sense of clean, sustainable energy.

EV & Renewables

Innovating Today for a Sustainable Tomorrow

www.garoelectric.com

Why GARO?

We have designed our range to meet the modern electrical demand of today while being fully prepared for the challenges of tomorrow. With the growing need for efficiency, sustainability, and innovation, our solutions are built to support the evolving energy landscape, ensuring reliable and future-ready performance.

GARO offers a bespoke design and manufacturing service. Contact your sales engineer for more details.

Electric Vehicle Charging





**Solar Based
Integration**

GEV Home Charging

Powering Tomorrow, Today

Features of the GARO GEV

- Remote Engineer Access for instant support and diagnostics
- Full Safety Suite: AC/DC leakage, PEN fault, voltage & current protection
- CTs supplied for dynamic and solar load management, enabling optimised energy use
- Easy App Experience
- Wi-Fi & Ethernet for seamless connectivity
- Socket or Tethered hassle-free charging



GEV Home Charging

Code	Description
GEV7.40	1 PH 7.4KW Type 2 Socket
GEV7.4L	1 PH 7.4KW Type 2 Tethered Lead 7.5m

A black Entity Pro charging station is mounted on a brick wall. A charging cable is plugged into the station. To the left, a white car is partially visible. To the right, there is a potted plant and an outdoor seating area with metal chairs and tables. A red vertical bar is in the top right corner.

Entity Pro Charging

Features of the GARO Entity Pro

- Full third party certification (TUV)
- Nationwide technical support
- 7.4 kW or 22kW charging
- IP54 rating
- IK10
- RFID/ Wi-fi/ LAN
- DC leakage protection
- Test button
- Movable socket (Left or Right)
- Automatic smart phase balancing
- Dynamic Load Management
- GARO Connect App
- Fully OCPP compliant
- Lockable
- IEC Certified
- Integrated Meter - MID meter option
- Up to 4 charge points per mounting pole
- PME Protection Optional 7.4 kW



Entity Pro

Entity Pro - 22kW Commerical Socket

Code	Description
EPCSO00332SIGI	Entity Pro 3-Ph, 4G Phase balancing, outlet, 32A
EPCSO00332SVGI	Entity Pro 3-Ph, 4G Phase balancing, outlet, 32A, MID



Entity Pro - 22kW Commerical Lead

EPCS40332SIGI	Entity Pro 3-ph, 4G, phase balancing, cable 32A 4m
---------------	--



Entity Pro - 22kW Dual Charging

EPCSO00332SIGIO	Entity Double Pro 3-Ph, 4G Phase balancing, outlet, 32A
EPCSO00332SVGIO	Entity Double Pro 1-ph, 4G, PME, outlet, 32A



Entity Pro - 22kW Dual Charging Back to Back

EPCSDP22BTB	Entity Double Pro 3-Ph, 4G Phase balancing, outlet, 32A, 22KW Dual Entity pedestal
EPCSDP74BTB	Entity Double Pro 3-Ph, 4G Phase balancing, outlet, 32A, 7.4KW Dual Entity pedestal

Entity Pro - 22kW Dual Charging Side By Side

EPCSDP22SBS	Entity Double Pro 3-Ph, 4G Phase balancing, outlet, 32A, 22KW Dual Entity pedestal
EPCSDP74SBS	Entity Double Pro 3-Ph, 4G Phase balancing, outlet, 32A, 7.4KW Dual Entity pedestal

Entity Pro without front and back installation plate

EPCUO00132SIGIPEN	Charging unit Pro 1-Ph, 4G Phase balancing, outlet, 32A
EPCUO00332SIGI	Charging unit Pro 3-Ph, 4G Phase balancing, outlet, 32A, MID
EPCU40332SIGI	Charging unit Pro 3-Ph, 4G Phase balancing, cable, 20A
EPCUO00332SVGI	Charging unit 3-ph, 4G, Phase balancing, cable 32A 4m

Entity Pro

Back Plates

Code	Description
EPIBSO	Pro Installation Double Back Plate
EPIBDO	Pro Installation Single Back Plate



Covers

Code	Description
EPIBS	Entity Pro Single Installation Bracket with Front Cover
EPIBD	Entity Pro Dual Installation Bracket with Front Cover
EPPC	Entity Pro Protection Cover



Load Management

ELIB	Entity load interface unit BASIC
ELIA	Entity load interface unit ADVANCED
ELIANT	External Antenna Kit (wifi)
GDT16-100A	Current transformer KIT 100A/333mV
GDT16-100A-1	Single Current Transformer
GDT36-300A	300A Split Core CT 300/5A 3 Pcs
GDT36-600A	600A Split Core CT 300/5A 3 Pcs



Entity Front Covers

Code	Description
EPFCB	GARO Entity Pro Front Cover Black
EPFCG	GARO Entity Pro Front Cover Grey
EPFCW	GARO Entity Pro Front Cover White
EPFCR	GARO Entity Pro Front Cover Red



Installation Poles

MVRF	In Ground Pole 1550mm Diameter 60mm
MVRP	Plinth Mounted Pole 750mm diameter 60mm
EPPFS	Entity Pro Pole mount back plate & bracket single 60mm



Ground Mounts

EPGSS	Entity Pro Ground Stand single and back to back
EPGSD	Entity Pro Ground Stand Dual side by side and back to back
EPGCA	Concrete anchor bolts and bracket for Entity stand
EPSSC	Entity Pro Ground stand Installation kit and Terminals
EPGSH	Entity Stand Mounted Cable Hook





GTB+ Dual Charging

Features of the GARO GTB Range

- Dual 7kw or 22kW AC Output
- Attractive design and robust construction
- Designed to withstand harsh climate, manufactured from marine grade aluminum
- Highly visible LED indication
- Capable of creating large charging clusters and controlling with dynamic load control.
- Can be combined with LS4 Chargers
- RCD type A with DC fault monitoring
- Simple, flexible installation and mounting brackets for wall or post
- Connection via LAN & 4G, GARO's 4G routers are available as an option
- Lockable service hatch, shielded inside to avoid electric shock
- Optional customisation of appearance (complete/partial foiling)
- Metering and RFID management
- Full OCPP communication to back office system



GTB+ Dual Charging

LAN Version

Code

GTBBDCMT274LANUK OCPP 2 X 7.4kw Dual Charger LAN, Meter RFID

GTBBDCM222LANUK OCPP 2 X 22kw Dual Charger LAN

4G Version

Code

GTBBDCMT274MCUK OCPP 2 X 7.4kw Dual Charger 4G Meter RFID

GTBBDCM222MCUK OCPP 2 X 22kw Dual Charger 4G Meter RFID

GTB Accessories

GNM3D-RS485	Three Phase DLM or local Meter 63 Amps
DLM300	Three Phase CT DLM Meter 300 Amps
DLM600	Three Phase CT DLM Meter 600 Amps
GTB-PB-TUBE60	GTB Post Bracket 60mm (to be used with MVRP or MVRF)
MVRF	In Ground Fixing.. Post 1550mm for GLBFD/ST-GHL/LS4-PM
MVRP	Plate mounted post 750mm for GTB
GTB-PB-OVAL	GTB Post Bracket (to be used with MVR-AB)
MVR-AB	Plate Mounted post Oval for GTB

Communication & Access

Code	Description
RFID Cards	Pack of 5 RFID cards
RFID Tags	Pack of 5 RFID Tags





Public Pillar Charging

Features of the GARO LS4 Charging Pillar

- Dual 7kw or 22kW AC Output
- Simple and intuitive operation
- User identification - RFID reader
- Charger status information
- Optional integration with Back Office (OCPP)
- Built-in communication (4G or LAN)
- Ability to activate DLM (dynamic load management of each socket)
- Personalisation with branding
- Floor-standing or wall-mounting
- Plug & play installation
- Local and remote monitoring and control of devices
- 43kW Truck versions available



LS4 Public Charging

LAN Version

LS4DCM222LANUK 2 x 22kw Outlets Metered, LAN & RFID

4G Version

LS4DCM274MCUK 2 x 7.4kw Outlets Metered, RFID & 4G

LS4DCM222MCUK 2 x 22kw Outlets Metered, RFID & 4G

43kw Chargers

Code	Description
LS4MDCMT243FC-MC	MINI 43kw Fixed Cable 7.5m outlets Metered 4G
LS4DCMT243FC-MC	43kw Fixed Cable 7.5m outlets Metered 4G


Payment Terminal

Code	Description
LS4-B-PAYSTATION	LS4 Terminal Pay Station

LS4 Accessories

GNM3D-RS485	Three Phase DLM or local Meter 63 Amps
DLM300	Three Phase CT DLM Meter 300 Amps
DLM600	Three Phase CT DLM Meter 600 Amps
MF-LS4	LS4 Foundation support
VF-LS4	Ground/ Wall Mounted Pedestal





30kW DC Charging

Features 30kW DC Charging

Powerful Charging:

Outputs 30 kW DC via CCS plug.

Can provide up to 200 km of range per hour under ideal conditions.

Compact and Robust Design:

Small, sturdy, and easy to install.

Ideal for car dealers, repair shops, rental companies, and depots.

User-Friendly Operation:

Charging starts via RFID tag or back office system.

Features a clear touch screen for easy operation.

Low Maintenance:

Cooling system operates without an air filter, reducing service needs.

Front panel is customisable

Smart Connectivity:

Supports OCPP 1.6 protocol.

Enables integration with payment services and remote control by operators.



Rapid 60kW Fast Charging

Rapid 60 provides swift DC charging for all electric vehicles and boasts a durable design built to endure. With the capability to charge up to three vehicles simultaneously, Rapid 60 ensures comprehensive charging solutions for all needs.

- Retractable cable management system.
- High-strength metal body, choice of galvanised steel or stainless steel.
- Without ventilation slots at the rear, it can be installed against a wall or two units back to back.
- Available in multiple connection configurations of 1 to 3 outputs.
- Simultaneous AC and DC charging of up to 3 EV's.
- Dual DC charging at 30 kW.
- 360° RGB status LEDs on holders and charger's top.
- RFID reader.
- 10.1" multi-language colour touch screen.
- Dual Ethernet port with switch mode
- OCPP, Autocharge, Plug & Charge



For more information or to discuss any project installations please contact our sales team or call us on 0121 3899 444.

Rapid 120 kW and 180kW DC Chargers

A powerful, reliable rapid charger

- Modular electronics and Power Modules
- 120 kW Chargers are upgradeable to 180 kW
- Option of Single or dual CCS
- Chademo options available
- 150 – 1000V DC output
- Auto-retractable cable system
- MID DC Metering
- Optional 22kW AC charging socket
- RGB LED status indicators
- Optional Auto resetting RCD's
- Multi-language 7" colour touchscreen standard
- Option for 21" colour screen (with adverts)
- Simultaneous charging at all available power outlets
- Dynamic Load Management between chargers and grid
- Contactless payment terminal option
- Locking systems available
- ISO15118 Plug and Charge and Smart Charge ready





High Power on the go

- 240kW/300kW/ 360 kW/400kW Versions
- Up to 3 Cables combining CCS or Chademo
- Simultaneous Charging up 2 Vehicles
- Granular power split of 60 kW
- 31" touch screen for advertisement and user interface
- Ethernet, wifi and 4G
- DC MID Metering
- OCCP 2.0.1, Modbus
- IP54, IK10, CSH protection
- DLM & ISO 14188-2

Optional:

- Special C fly Cable System for truck/bus
- Antivandalism impact sensors
- Contactless bank card reader
- Locking systems
- Vehicle detection system
- Smart DLM





Project Solutions

GARO offers a wide variety of products to support all EV and renewable energy solutions – providing the complete package.

Meter Box Accessories

- Weather-resistant
- Easy installation
- Enhanced safety
- Custom-fit options



Meter Box Accessories

Meter Box Disconnects

GP2100M 100A 2 Pole meter Disconnect Enclosed

GPS2100M 100A 2 Pole meter Disconnect Enclosed c/w Surge

GP4100M 100A 4 Pole meter Disconnect Enclosed

Meter Box Junction Box

DNO5P 100 Amp 5 Pole Connector Phase Brown

DNO5N 100 Amp 5 Pole Connector Neutral Blue

DNO5E 100 Amp 5 Pole Connector Earth Green

DNO5B 100 Amp 5 Pole Connector Phase Black

DNO5G 100 Amp 5 Pole Connector Phase Grey



DNO5P

DNO5E

DNO5B

DNO5N

DNO5G



GP2100M



Heat Pump, Solar & EV Boards

- Purpose-built for Modern Energy Systems
- Installer-friendly Layout
- Robust, Weather-Resistant Enclosures
- Enhanced Safety Features



Heat Pump Boards

Code Description Trade Price

GS8HPB1 MCU 8 Module, SPD, ISOL Type B RCCB (1 free)

GS10HPB3 MCU 10 Module, SPD, ISOL Type B RCCB (3 free)

Solar Boards

GS4SOL MCU 4 Module, Solar, SPD, Isol, 16A RCBO

GS6SOL MCU 6 Module, Solar, SPD, Isol, 16A RCBO (2 free)

GS8SOL MCU 8 Module Solar, SPD, Isol, 16A RCBO (4 free)



EV Charging Boards

GMS5EV40M MCU 5 Module, SPD, Isolator & 40 Amp MCB IP65

GMS5EV40R MCU 5 Module, SPD, Isolator & 40 Amp RCBO IP65



AC & DC Isolators

- For Constant Current
- Home & Commercial Use
- High-voltage Protection
- Cost-Effective

AC Polycarbonate Safety Switches

SIAC420IP65	Safety Isolator AC20 Amp 4pole IP65	H 125 W 100 D 85
SIAC425IP65	Safety Isolator AC 25Amp 4pole IP65	H 125 W 100 D 85
SIAC432IP65C	Safety Isolator AC 32Amp 4pole IP65 Compact	H 125 W 100 D 85
SIAC432IP65	Safety Isolator AC 32Amp 4pole IP65	H 172 W 114 D 102
SIAC440IP65	Safety Isolator AC 40Amp 4pole IP65	H 172 W 114 D 102
SIAC463IP65	Safety Isolator AC 63Amp 4pole IP65	H 172 W 114 D 102
SIAC480IP65	Safety Isolator AC 80Amp 4pole IP65	H 238 W 156 D 120
SIAC4100IP65	Safety Isolator AC 100Amp 4pole IP65	H 238 W 156 D 120



DC Polycarbonate Safety Switches

SIDC416IP65	Safety Isolator DC 16 Amp 4pole	H 96 W 65 D 180
SIDC432IP65	Safety Isolator DC 32 Amp 4pole	H 96 W 65 D 180

All-in-One BESS

Fast Setup & Expandable up to 30kWH

UPS Level Switching & Backup


Cuts Installation Time & Space by 50%

Heating System Optimises Charging

Remote Monitoring via Mobile App

Works Seamlessly with a Global Cloud Platform

IP65-Rated Enclosure, Making it Reliable for Any Climate and Outdoor Setting





GARO has been powering British homes with a longstanding dedication to safety, innovation and reliability. As the world shifts towards a greener, decarbonised future, we are evolving to lead that change. GARO Battery Energy Storage systems represent our dedicated focus on future smart energy solutions — solutions that are reliable, efficient, and sustainable. At the heart of this evolution lies our unwavering commitment to quality, ensuring that as people's energy needs change, GARO is there to support them.

SolarEast Group is a leading zero-carbon energy provider founded in 1999. SolarEast operates five advanced production bases with a massive 12GWh annual energy storage capacity, serving over 35 million families across 80 countries. The company is backed by a global workforce of 6,000+ employees and prestigious R&D credentials - including a CNAS Accredited Laboratory and the 2024 National Science and Technology Progress Award.

3.6kWH All in One System

(Includes Inverter, Heated Battery, Pedestal, Solarman Wi-Fi Dongle)

PRODUCT CODE	DESCRIPTION	STORAGE
AIO3.6KIT5kWH	3.6kW All in One Inverter 5kWH with 1 x 5kWH Battery	5kWH
AIO3.6KIT10kWH	3.6kW All in One Inverter 10kWH with 2 x 5kWH Battery	10kWH
AIO3.6KIT15kWH	3.6kW All in One Inverter 15kWH with 3 x 5kWH Battery	15kWH
AIO3.6KIT20kWH	3.6kW All in One Inverter 20kWH with 4 x 5kWH Battery	20kWH

5kWH All in One System

(Includes Inverter, Heated Battery, Pedestal, Solarman Wi-Fi Dongle)

PRODUCT CODE	DESCRIPTION	STORAGE
AIO5KIT5kWH	5kW All in One Inverter 5kWH with 1 x 5kWH Battery	5kWH
AIO5KIT10kWH	5kW All in One Inverter 10kWH with 2 x 5kWH Battery	10kWH
AIO5KIT15kWH	5kW All in One Inverter 15kWH with 3 x 5kWH Battery	15kWH
AIO5KIT20kWH	5kW All in One Inverter 20kWH with 4 x 5kWH Battery	20kWH



PRODUCT CODE	DESCRIPTION
AIOINV3.6SP	3.6kW All in One Hybrid Inverter
AIOINV5SP	5kW All in One Hybrid Inverter
AIOBATTERY	All in One 5kW Battery
AIOPEDESTAL	All in One Pedestal

Accessories

PRODUCT CODE	DESCRIPTION
4G-DONGLE	4G Dongle for Inverters (Wi-Fi Version Included)
INV-METER	Single Phase Smart Meter (CT Already Included)

Case Study



Case Studies: Real Solutions, Real Impact

At the heart of everything we do is a commitment to delivering results that matter. Our case studies showcase real-world examples of how we've partnered with clients to overcome challenges, unlock opportunities, and create lasting value. Each story highlights our approach, our process, and—most importantly—the measurable impact we've made. Explore these snapshots of success to see how our expertise translates into tangible outcomes.

Alun Davies, managing director at ElectrAssure:

“GARO’s charging points are robust, well built and with a modular construction that boosts the lifetime of the product. We were so impressed, we’ve since signed an agreement to provide national service support for GARO too.”

Partner: ElectrAssure

Customer: National Grid

Number of charging bays: 1,700

Number of sites: 300

Products: Pillar LS4 AC, GTB+ AC, Rapid 120 kW DC, Rapid 60 kW DC

EV charging solutions provider ElectrAssure is working through a four-year contract to install 1,700 GARO EV charging bays across 300 sites for National Grid.

Combining flexible operation with a robust build, GARO’s equipment has been designed with a modular approach and is already showing its quality across National Grid substations and offices nationwide.

More than that, ElectrAssure and GARO have worked closely to develop a unique maintenance solution based on a comprehensive parts schedule, which has developed into an industry-leading service agreement across all GARO installations.

Identifying an enhanced solution

A family business built in 2004 with a solid reputation for providing trusted engineering support, ElectrAssure has been installing and operating commercial EV charging solutions since 2013.

The 20-strong firm first turned to GARO back in 2020 after seeking a new AC charging provider, and has since built a strong working relationship that adds value for its customers through flexibility, reliability and design excellence.

When the opportunity came to tender for the installation of EV chargers across National Grid’s substation and office sites in 2021, GARO was the obvious supplier for ElectrAssure.

The installation programme, which is due to be complete by June 2025, supports National Grid’s commitment to deliver a 100% electric fleet of light-duty vehicles by 2030 under its Responsible Business Charter, identifying where the business can have the most significant impact on society.

Increasing the scope

When the contract was first awarded, ElectrAssure was tasked with installing and operating 1,200 AC charging bays (later increased to 1,600) across sites in England, Wales and Scotland. It specified GARO’s trusted solutions, comprising the Pillar LS4 and GTB+ models.

As the installations progressed, the charging solutions provider felt it was not getting a satisfactory service from its existing DC charging provider, and switched to a complete supply solution from GARO.

By the end of the contract, it will have also installed 100 of GARO’s Rapid 60 kW DC units, as well as hardware for 30 Rapid 120 kW DC units for National Grid’s transmission arm.

All units benefit from use of the Open Charge Point Protocol (OCPP), which offers enhanced interoperability and a uniform solution for communication between charging stations and the central management system.

A major milestone was reached in March 2024 when chargepoint number 1,000 was commissioned at Wymondley Substation, supporting colleagues and engineers working at the National Grid Electricity Transmission (NGET) site in Hertfordshire.

Modular construction

Alun Davies, managing director at ElectrAssure, said: “One of the main features of GARO’s LS4 and GTB+ AC models is that they’re modular in construction, so any individual part can be removed and replaced. Once the product’s in the ground, it has a longer life span because if there



are any faults, we can simply replace that part instead of replacing the whole unit. And in a green sector, where sustainability matters, it's important to maximise longevity.

"This also allows us to deliver a best-in-class maintenance solution. We've worked with GARO to develop a comprehensive parts list and we keep first aid kits at our HQ and in every van, with one of every individual part ready for replacement."

"Parts are always the number one problem when maintaining charging stations, and as a turnkey charging provider we've been left in the past waiting for weeks for a replacement from other suppliers. Of course, the unit is out of use for that time."

"This solution means anybody attending a defect will have the right part to hand, able to deliver a first-time fix to get that charging station back in operation."

Individual components have also been built to last on GARO's reliable products, drawing on the company's experience of designing EV charging stations since the first EV needed one in 2008.



The units are made of marine grade aluminium and GARO's lifecycle assessment shows that the LS4 has an operating lifetime of 15 years and 20,000 charges.

Building a partnership

The relationship between supplier and solutions provider is vital to ensure the success of complex rollouts like this project for National Grid. ElectrAssure and GARO have taken their partnership one step further, with the installation and service specialist now acting as GARO's contracted support provider across the UK.

Alun Davies adds: "With our support, GARO offers a service and maintenance solution that matches the quality of their products. Most manufacturers don't have a direct relationship with an expert service supplier, but we're proud to have extended our partnership with GARO. Our service specialists attend faults through misuse, deliver warranty parts replacements and provide expert guidance on GARO products across all sectors."

"In addition to the National Grid contract we installed the first GARO Rapid 120 kW DC units in the UK, and we're looking forward to delivering more firsts in partnership with the team."

Scott MacIntosh, director at Alltec Energy:

“Garo’s LS4 is genuinely the best EV charger we’ve ever worked with. It’s reliable, extremely easy to install and easy to maintain. And the support from the team is exceptional.”

Partner: Alltec Energy

Customer: Forestry and Land Scotland

Number of charging bays: 60

Products: Pillar LS4 AC

When electrical installer Alltec Energy was tasked with installing EV charging stations across 60 sites for Forestry and Land Scotland (FLS), they knew that GARO’s best-in-class products would be the best solution.

By the end of the contract, Alltec Energy, which specialises in solar energy, EV charging and Air Source Heat Pumps, will have installed GARO LS4 AC chargers for staff use at 60 FLS sites across Scotland. They will also be responsible for the ongoing maintenance of the units, to ensure they remain operational and efficient.

With most installations sited in remote locations and outdoor environments, GARO’s LS4 pillar charger stood out for its durable build and reliable back-office integration.

Specification expertise

The project is part of FLS’s broader initiative to transition its fleet to electric and reduce its carbon footprint.

Scott MacIntosh, director at Alltec Energy, said: “When we got the contract, we asked GARO to look at which units they believed would best suit the project. They looked at the project, the scale and location of the installations, and put forward the LS4. It was just another demonstration of their commitment to support installers.”

GARO’s LS4 AC charging station is a ground-mounted public charging station. It offers Open Charge Point Protocol (OCPP) compatibility, allowing integration with back-office systems to support remote monitoring, fault diagnosis and ongoing maintenance across all sites, from Alltec Energy’s office.

Durable construction

Scott MacIntosh adds: “It was an obvious choice, not least because it’s made from marine grade aluminium, which means it will be more durable in the remote locations and outdoor environments that are inevitable across Forestry and Land Scotland’s estate. But I can also say it’s the best EV charger we’ve ever worked with, because it’s so easy to install, maintain and use.”

The LS4 has an expected operating lifetime of 15 years and 20,000 charges, according to GARO’s lifecycle assessment.





Dynamic Load Management

In addition, Alltec Energy has installed a number of GARO Dynamic Load Management (DLM) units, which allows energy to be distributed evenly or EV chargers to be prioritised based on occupancy. The DLM unit smartly manages power distribution, managing 'wait lists' to ensure that charging is balanced and prioritised most effectively, and avoiding any risk of overloading the main fuse if demand is high.

Scott MacIntosh adds: "The DLM is one of the most important products we've used across FLS because it allows us to distribute power evenly across the chargers. Again, it's a straightforward installation but it's a vital product to optimise the charging system."

Ahead of the game

Since June 2022, all new EV charge points installed in the UK must be able to send and receive information, respond to signals, and integrate with the smart grid. It was all part of the Electric Vehicles (Smart Charge Points) Regulations 2021, along with a series of other changes such as enhanced security, safety and interoperability.

Scott MacIntosh concludes: **"We've fitted EV charging stations for several years but with the introduction of the new regulations, we took the opportunity to revisit our suppliers. It was clear that Garo was ahead of the game when it came to the back-office function and WiFi capabilities, even before the regulations."**

"Since that point, GARO has been our preferred supplier for EV charging. The products are excellent, and I have personally got a great working relationship with Conor Charnley (UK Sales Manager for GARO), who has always provided Alltec Energy with excellent service and in-depth knowledge of GARO products."

"His support particularly has been invaluable in ensuring we choose the best products and solutions for our projects."



www.garoelectric.com

GARO Electric
Unit 16 Urban Express Park
Aston Hall Road
Birmingham
B6 7FH

Phone: 0121 3899 444
Email: sales@garo.co.uk
www.garo.co.uk
www.garoelectric.com